



Moisture
Management
for Masonry

Your reputation. Your legacy. Our mission.

Product Submittal Sheet

LathNet™ Double-V Control Joint



Description

#15 Expanded flange control joint (Double-V) is used to relieve stresses in large plastered areas of walls, ceilings and stucco areas. This expanded wing control joint minimizes cracking and assures proper plaster and stucco thickness. The #15 enables plaster to key into the return lip to eliminate shrinkage separation, a preferred finish feature.

Product Data & Ordering Information

Material: 26 Gauge, G-60 Hot-Dipped Galvanized Steel.
Also available in 99.97% pure Zinc, compliant with ASTM B-69.
Dimensions: 3/4" Ground, 10' length



Ground	Length	Pcs./Ctn.	Ft./Ctn.	Ctn./Skid
3/4"	10'	24	240	30

ASTM & Code Standards:

- ASTM C841 (interior), C1063, CE 240.01 (exterior), ASTM C926, UBC, ML/SFA-920, the International Code Council IBC and IRC.
- All Expanded Metal Lath Accessories are fabricated from prime galvanized steel G60 zinc coating by the hot dipped method, conforming to steel and coating specification ASTM A-653/A-653M or zinc alloy meeting ASTM B-69 as required in ASTM C1063 and C847.
- SDS & Product Certification Information is available at www.clarkdietrich.com/SupportDocs
- For installation and placement instructions refer to ASTM C1063, C841 and C926.

Storage:

All stored materials shall be kept dry. Materials shall be stacked off the ground, supported on a level platform, and protected from the weather and surface contamination conforming to ASTM C1063.

Limitations:

Galvanized steel products should not be used with magnesium oxychloride cement stucco or portland cement stucco containing calcium chloride additives. The selection of the appropriate type of material for accessories shall be determined by the surrounding climatic and environmental conditions such as salt air, industrial pollution and high humidity.

Substitutions

No substitutions permitted.

LN-43503

Specification Title: _____

Project: _____ Date: _____

Firm: _____ Phone: _____

Approval: _____ Date: _____

General Contractor: _____

Bid Date: _____

Comments: _____