

MortarFlash™ Non-Asphaltic Flashing

A 40-MIL, POLYETHYLENE BLEND PEEL-AND-STICK FLASHING MEMBRANE

## **SECTION 1. IDENTIFICATION**

Coated Woven Film **Product Identifier:** 

Manufacturer:

Mortar Net Solutions Company Name:

6575 Daniel Burnham Drive, Suite G, Company Address:

Company Address Cont: Portage, IN 46368 **Business Phone:** 800-664-6638 Website: www.mortarnet.com Masonry flashing

Recommended use: **Telephone Numbers:** 

800-664-6638 During normal business hours call: 24-hour emergency call Chemtrec: 800-255-3924

#### **SECTION 2 - HAZARD IDENTIFICATION**

**EMERGENCY OVERVIEW:** 

All components of this product are encapsulated within a PE matrix. When handled as intended and used under normal conditions, the product listed is not expected to pose a physical hazard or health risk to humans. This product does not contain any form of asbestos materials or any other known hazardous materials.

Prevention: Avoid breathing dust, fumes, gas, mist, vapors, and/or spray.

Storage/Disposal: Dispose of content and/or container in accordance with local, regional, national, and

or international regulations.

Route of Exposure: Skin, eye, ingestion

POTENTIAL HEALTH EFFECTS:

Inhalation: Not expected under normal conditions of use.

Skin: Not expected under normal conditions of use.

Ingestion: Not intended to be ingested (eaten). If ingested, it may cause temporary irritation to

the gastrointestinal (digestive) tract.

Not expected under normal conditions of use. If material comes in contact with the Eyes:

eyes, it may cause irritation.

Carcinogenicity: This product is not considered a carcinogen

### HAZARD RATING (NFPA)

HEALTH	0	
FLAMMABILITY	1	
REACTIVITY	0	
SPECIAL NOTICE	-	

HAZARD RATING (HMIS)

HEALTH	0	
FLAMMABILITY	1	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	X	

NFPA - National Fire Protection Association HMIS is a registered trademark of the American Coatings Association

Degree of Hazard

- 0 Minimal (Insignificant)
- 1 Slight
- 2 Moderate
- 3 Serious (High)
- 4 Severe (Extreme)



# MortarFlash™ Non-Asphaltic Flashing

A 40-MIL, POLYETHYLENE BLEND PEEL-AND-STICK FLASHING MEMBRANE

## **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

INGREDIENT NAME CAS NUMBER PERCENTAGE BY WT.

Polyethylene (Polymeric Coating)9002-88-4>80% rangeTitanium Dioxide (White Pigment)13463-67-72-10% rangeCarbon Black (Black Pigment1333-86-41-8% rangeLight Stabilizer (UV Additive)71878-19-80.5-2% range

Any concentration shown as a range is to protect confidentiality or is due to batch variability

Note: NA = Not Available, NE = Not Established

### **SECTION 4 - FIRST-AID MEASURES**

**INHALATION:** Remove to fresh, uncontaminated air.

**SKIN:** For minor burns due to molten plastic, use running cold water.

**INGESTION:** If product is ingested, do NOT induce vomiting. If vomiting occurs, keep head lower

than hips to avoid aspiration of vomit into the lungs, which can cause inflammation or

pneumonitis. Get immediate medical attention.

EYES: If material comes into contact with the eyes, immediately flush with plenty of cool

water for at least 20 minutes preferably at an eye wash fountain or until irritation subsides, occasionally lifting the eyelids to ensure thorough rinsing. If irritation

develops or persists, seek medical attention.

NOTES TO PHYSICIAN/FIRST AID PROVIDERS: None

#### **SECTION 5. FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Water spray, Foam, Carbon Dioxide, Dry Chemical

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide, Unidentified organic compounds. If burned, the

material could release toxic fumes and smoke.

FIREFIGHTING PROCEDURES: Combustible. Avoid breathing fumes. Use extinguishing measures that are

appropriate to local circumstances and surrounding environment.

FIREFIGHTER PROTECTION: Molten polyolefin tends to flow or drip; proper protection required. Firefighters should

not enter confined space without wearing NIOSH-approved self-contained breathing

apparatus with full face mask and protective equipment.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS:

EMERGENCY PROCEDURES:

Not applicable

ENVIRONMENTAL:

Not applicable

CLEAN-UP PROCEDURES: Pick up large pieces. Vacuum dust. If sweeping is necessary, avoid creating dusts

by using a dust suppressant such as water. This will help to minimize potential

exposures.

**WASTE DISPOSAL METHOD:** Dispose in accordance with Federal, State, and local regulations. Do not burn.

## **SECTION 7. HANDLING AND STORAGE**

HANDLING PROCEDURES: When handling uncontained material, use personal protective equipment as

described in Section 8 of this SDS.

STORAGE PROCEDURES: Store material in accordance with instructions on the product packaging, if any.

Material should be kept clean, dry, and in original packaging. Keep this product away from heat, sparks, ignition sources, and open flames in accordance with applicable

laws and regulations.

SPECIAL PACKAGING MATERIALS: No data available



## MortarFlash™ Non-Asphaltic Flashing

A 40-MIL, POLYETHYLENE BLEND PEEL-AND-STICK FLASHING MEMBRANE

**INCOMPATIBLE MATERIALS:** Not known

**OTHER PRECAUTIONS:** Comply with OSHA and other safety standards and codes for roof work. Always use

Fall Protection Systems when working on roofs. Product may be slippery when wet,

dusty, or covered with water, ice, dew, frost, or snow.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

PERSONAL PROTECTIVE EQUIPMENT:

**EXPOSURE GUIDELINES:** 

RESPIRATORY PROTECTION: Not needed under normal use conditions

**EYES/FACE PROTECTION:** Safety glasses with side shields are recommended.

HANDS PROTECTION: Leather or cotton gloves recommended when handling to protect against

mechanical abrasion. Promptly clean hands with waterless hand cleaner, clean

fingernails, and wash with soap and water after handling.

SKIN/BODY PROTECTION: Normal work clothing (long sleeved shirts, long pants, and non-skid shoes or boots

with 6-inch leather uppers) is recommended during application and/or tear-off

activities.

OTHER PROTECTIVE EQUIPMENT: Should be provided as necessary to prevent irritation of the throat, eyes, and skin

and to keep exposures below the applicable exposure limits identified in this section.

WORK HYGIENE PRACTICES: Use a good industrial hygiene practices when handling the material. Wash exposed

skin prior to eating, drinking, or smoking and at the end of the shift.

Handle using methods and techniques that minimize dust or fume generation.

**ENGINEERING CONTROLS/VENTILATION:** Not needed under normal conditions of use.

CHEMICAL NAME (COMMON NAME)	CAS NUMBER	EXPOSURE LIMIT		
		ACGIH (TWA)	OSHA (PEL)	
Polyethylene (Polymeric Coating)	9002-88-4	10 mg/m3	15 mg/m3	
Titanium Dioxide (White Pigment)	13463-67-7	10 mg/m3	2.4 mg/m3	
Carbon Black (Black Pigment)	1333-86-4	3 mg/m3	3.5 mg/m3	
Light Stabilizer (UV Additive)	71878-19-8	NE	NE	

Note: NA = Not Available, NE = Not Established

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical Form:	Solid	Taste:	No data available
Appearance:	Sheet in roll form	Odor:	Odorless
Color:	White/Black	Odor Threshold:	Not applicable
Boiling Point:	N/A	Vapor Pressure:	No data
Melting Point:	> 2300 F	Vapor Density:	No data
Freezing Point:	No data	Evaporation Rate:	No data
Specific Gravity:	Variable	VOC (Weight):	No data
Density:	No data	VOC (Volume):	No data
Bulk Density:	No data	Volatiles (Weight):	No data
Viscosity:	No data	Volatiles (Volume):	No data
pH (Undiluted Product):	No data	Flash Point:	> 5700 F
Water Solubility:	Insoluble	Flash Point Test Type:	COC
Solvent Solubility:	No data	Upper Explosion Limit:	No data
Partition Coefficient - Octanol/Water:	No data	Lower Explosion Limit:	No data
Molecular Weight:	No data	Auto Ignition:	No data
Decomposition Temp.:	No data	Flammability (Solid, Gas):	No data



## MortarFlash™ Non-Asphaltic Flashing

A 40-MIL, POLYETHYLENE BLEND PEEL-AND-STICK FLASHING MEMBRANE

#### **SECTION 10. STABILITY AND REACTIVITY**

THERMAL STABILITY: Stable under normal conditions of use.

HAZARDOUS DECOMPOSITION: Upon decomposition this product may form carbon dioxide, carbon monoxide, and

unidentified organic compound during heating or burning.

HAZARDOUS POLYMERIZATION: Will not occur.

**CONDITIONS TO AVOID:** Keep this product away from heat, sparks, ignition sources, and open flames in

accordance with applicable laws and regulations.

INCOMPATIBLE MATERIALS: None known

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS: If material comes in contact with the eyes, it may cause irritation. If ingested it may

cause temporary irritation to the gastrointestinal (digestive) tract.

CHRONIC EFFECTS: None known

#### **SECTION 12. ECOLOGICAL INFORMATION**

ECO-TOXICITY:

No data available for this product

PERSISTENCE/DEGRADABILITY:

No data available for this product

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**PRODUCT INFORMATION:** This product, as supplied, is not expected to be a hazardous waste when it is

disposed of according to the U.S. Environmental Protection Agency (EPA) under

Resource and Recovery Act (RCRA) regulations.

**DISPOSAL INSTRUCTIONS:** Dispose of waste material in accordance with Federal, State, and Local

environmental regulations.

RCRA CLASS: None

### **SECTION 14. TRANSPORT INFORMATION**

## U.S. DEPARTMENT OF TRANSPORTATION

Proper Shipping Name:

Hazard Class:

ID Number:

Packing Group:

Label Statement:

Other:

N/A

N/A

# **INTERNATIONAL TRANSPORT REGULATIONS:**

This product is not classified as dangerous goods according to international transport regulations.

UN Number: N/A
UN Proper Shipping Name: N/A
Packing Group: N/A
Environmental Hazards: N/A
Transport in Bulk: N/A
Special Precautions: N/A



# MortarFlash™ Non-Asphaltic Flashing

A 40-MIL, POLYETHYLENE BLEND PEEL-AND-STICK FLASHING MEMBRANE

#### **SECTION 15. REGULATORY INFORMATION**

## **INTERNATIONAL REGULATIONS**

These products are not considered articles per international product regulations and as such, these products do not require registration or notification on the various country-specific inventories.

#### **U.S. FEDERAL REGULATIONS**

TSCA: None CERCLA: None

SARA:

Section 302 None of the product components are listed under this section

Section 311/312 None of the product components are listed under this section

Section 313 None of the product components are listed under this section

STATE REGULATIONS: None

Note:

TSCA Toxic Substances Control Act

CERCLA Comprehensive Environmental Response Compensation and Liabilities Act
SARA Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III

Section 302 Extremely Dangerous Hazardous Substances
Section 311/312 Immediate health; Delayed health; Fire hazard

Section 313 Reportable Ingredients

## **SECTION 16. OTHER INFORMATION**

Issue Date: May 31, 2015 Revision Date: May 31, 2015

Disclaimer: All information, recommendations, and suggestions appearing herein concerning this product are taken from sources or based upon data believed to be reliable. Although reasonable care has been taken in the preparation of this information, Mortar Net Solutions extends no warranties or guarantees, express or implied, makes no representations, and assumes no responsibility as to the accuracy, reliability, or completeness of the information presented. Since the actual use of the product described herein is beyond our control, Mortar Net Solutions assumes no liability arising out of the use of the product by others. It is the user's responsibility to determine the suitability of the information presented herein, to assess the safety and toxicity of the product under their own conditions of use, and to comply with all applicable laws and regulations. Appropriate warnings and safe handling procedures should be provided to handlers and users.

